



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|-----------------------|---------------------|------------------|
| 10/799,209 | 03/12/2004 | Abraham Ebbie Soroudi | 158627-0003 | 7431 |

7590 11/30/2006

Farzad E. Amini
Blakely Sokoloff Taylor & Zafman LLP
12400 Wilshire Boulevard, Seventh Floor
Los Angeles, CA 90025-1030

| |
|----------|
| EXAMINER |
|----------|

KIDWELL, MICHELE M

| | |
|----------|--------------|
| ART UNIT | PAPER NUMBER |
|----------|--------------|

3761

DATE MAILED: 11/30/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

DETAILED ACTION

Response to Amendment

The reply filed on September 19, 2006 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s):

Revised Amendment Practice 37 CFR 1.121, effective July 30, 2003, states:

Amendments to the specification, including amendment to a section heading or the title of the invention which are considered for amendment purposes to be an amendment of a paragraph, must be made by submitting:

- (i) An instruction, which unambiguously identifies the location, to delete one or more paragraphs of the specification, replace a paragraph with one or more replacement paragraphs, or add one or more paragraphs;
- (ii) The full text of any replacement paragraph with markings to show all the changes relative to the previous version of the paragraph. The text of any added subject matter must be shown by underlining the added text. The text of any deleted matter must be shown by strike-through except that double brackets placed before and after the deleted characters may be used to show deletion of five or fewer consecutive characters. **The text of any deleted subject matter must be shown by being placed within double brackets if strikethrough cannot be easily perceived;**
- (iii) The full text of any added paragraphs without any underlining; and;
- (iv) The text of a paragraph to be deleted must not be presented with strike-through or placed within double brackets. The instruction to delete may identify a paragraph by its paragraph number or include a few words from the beginning, and end, of the paragraph, if needed for paragraph identification purposes.

The amendments to the claims are not easily perceived.

Since the above-mentioned reply appears to be *bona fide*, applicant is given

ONE (1) MONTH or THIRTY (30) DAYS from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid


Art Unit: 3761

abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michele Kidwell whose telephone number is 571-272-4935. The examiner can normally be reached on Monday thru Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tatyana Zalukaeva can be reached on 571-272-1115. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Michele Kidwell
Primary Examiner
Art Unit 3761